

Papyrus Rainbow®



Achieving perfect print results starts with choosing the right paper for your application. Mondi offers a full portfolio of professional printing papers tailored to meet the technical requirements of your digital or offset printing machines.

Certificates



Further certificates
Food Safety

Technical specification | Intensive colours

Parameter Name	Unit	ISO code	80	160	230
Basis weight	g/m²	ISO 536	80 ± 3.0	160 ± 6.0	230 ± 9.0
Caliper	µm	ISO 534	105 ± 4	214 ± 6	307 ± 8
Roughness Bendtsen	ml/min	ISO 8791-2	230 ± 50	230 ± 50	230 ± 50
Moisture abs.	%	ISO 287	4.8 ± 0.5	4.8 ± 0.5	5.2 ± 0.5

SIGNIFICANCE OF VALUES: 2 SIGMA

Technical specification | Neon colours

Parameter Name	Unit	ISO code	80
Basis weight	g/m²	ISO 536	80 ± 3.0
Caliper	µm	ISO 534	103 ± 4
Roughness Bendtsen	ml/min	ISO 8791-2	210 ± 50
Moisture abs.	%	ISO 287	4.8 ± 0.5

SIGNIFICANCE OF VALUES: 2 SIGMA

Technical specification | Pale colours

Parameter Name	Unit	ISO code	80	160	230
Basis weight	g/m ²	ISO 536	80 ± 3.0	160 ± 6.0	230 ± 9.0
Caliper	µm	ISO 534	105 ± 4	214 ± 6	307 ± 8
Roughness Bendtsen	ml/min	ISO 8791-2	230 ± 50	230 ± 50	230 ± 50
Moisture abs.	%	ISO 287	4.8 ± 0.5	4.8 ± 0.5	5.2 ± 0.5

SIGNIFICANCE OF VALUES: 2 SIGMA

Technical specification | Trend colours

Parameter Name	Unit	ISO code	80	160
Basis weight	g/m ²	ISO 536	80 ± 3.0	160 ± 6.0
Caliper	µm	ISO 534	105 ± 4	214 ± 6
Roughness Bendtsen	ml/min	ISO 8791-2	230 ± 50	230 ± 50
Moisture abs.	%	ISO 287	4.8 ± 0.5	4.8 ± 0.5

SIGNIFICANCE OF VALUES: 2 SIGMA